JUL - 5 2008 OSAGE NATION EPAVUIC

I

UNITED STATES DEPARTMENT OF THE INTERIOR


Osage Indian Agency PAWHUSKA, OKLAHOMA 74056

	. /
10.00	7/./.
Date	115/06
	7

APPLICATION FOR OPERATION OR REPORT ON WELLS

NA		E		8
(Commencement money paid to whom)	(Date)			(Amount)
Well No. 17-1 is located 350 ft. from (N)	line and	760 ft. from	E line.	
NW/4 Sec. 17 T25N	<i>R</i>	HE.	Osage (County, Oklahom
(1/4 Sec. & Sec. No.) (Twp.)	(F	Range)		
The elevation of the { surface derrick floor} above sea level is	1065	ft.		
USE THIS SIDE TO REQUEST AUTHORITY FOR WORK (three copies required)	USE THI		PORT COMI py required)	PLETED WORK
Notice of intention to:	Character of	of well (whether	oil, gas or dr	y)
Plug (\$15 fee required) Deepen or plug back Convert to Sup D Pull or alter casing Formation treatment	Subsequent Co: Fo: Alt Plu		nt	
Details of Work Detail	,	Details of Work	& Results O	btained
to be used. Undicate proposed mudding, consending & other work. Plugging applications shall set forth reasons for plugging & detailed statement of proposed work. Plugging will not commence used 10 days following approval date unless authority granted for earlier commencement. A \$15.00 plugging fee is also required with each application to plug.			•	×
	10			
Well production prior to workbbls. oilbbls. wtr./24 hrs.	M)			
REDRILL plugged well to				
orginal TD Sazd Perfs @ 3469->73	Work comme Work comple	ted		
\$ 3528 > 36. Run tension packer	(0	Continue of reve	rse side if nec	essary)
into well bore on 23/"tubing and	This	block for plug CASING	ging informat RECORD	\$357000000000000000000000000000000000000
Set = 4400. MIT. Begin injecting Sw	Size	la bois when scarted	Amount	Depth How
I understand that this plan of work must receive approval in				·
writing of the Osage Indian Agency before operations may be commenced.				
BOOK CONTRACTOR OF THE PARTY OF	ORIGINA Lessee	L TOTAL DEPTH		
Lessee: Glenn Supply Co.	_			
Signature: 5. Klames	Ву:		Signature	
Title: CONSULTANT	·	Subscrib	ed said secons to before	
Address: PO Box 1104			Notary Public	
TULSA, OK 74101 SEIGHT	fy commission expires -	289-18	84	

UNITED STATES



DEPARTMENT OF THE INTERIORECEIVED OSAGE AGENCY Pawhuska, Oklahoma 74056 PAWHUSKA, DK, 74058

Report of Completed & Deepened Welis

Within the Osage Reservation 08 2015'55

MI 2411'ss

JUL 25 -9 :32



Specify type of well, Oil, Gas, SWD, Dry, etc. Oil

TD 5000 Arbuckle Lm One original report must be filed within 10 days after completion of well.

20 BOPD Miss Char	
Company operating American International Energy Corp	ddress 5701 Woodway, Suite 333, Houston, Tex.7705
Lessee Same	essor OSAGE TRIBE
Well No	Moursand
The result of th	KB.
Well located 350 ft. from $\{ N \}$ line, 960 ft. from $\{ E \}$	
The following the from the from the first the	GL 1065
Elevation and location surveyed byOsage Survey	
Drilling contractor(s) McLennan Be	gan 6-6 , 1989 Finished 6-16 1989
Rotary drilled interval & bit size(s) 12½ - 77/8	
Cable drilled interval and bit size(s)	
Casing used in drilling Casing left is hole	Cement used; include gel, additives anded at Interval cemented
309 ft. 85/8 23 lbs./ft. 8 /in. 309 ft. 3	09 ft. <u>Surface</u> 0 to 309
4576 ft 4.5 10.5 lbs./ft. 8 /in 4576 ft.	576 tt. 400 Sks. 4576 2600
ftinslbs./ft/inft	(onsolidated 7 75000
Interval(s) perforated 11 holes 4421 to 4431; 9 holes	3528 to 3536; 8 holes 3469 to 3473
Interval(s) left open 3469 - 3473 Interval	rval(s) shut off 4421 - 4431 3528 - 3526 Cast Iron .
Plug back depth 3494 Packer set? Se	tting depth Packer left in?
How were fresh water and other zones protected?Pipe & Cem	ent
Initial Production Be	
Flow □ Pump □ Swab ☑ Bail □	Initial Potential Rate for 24 Hr. Period
Casing Tubing Choke size	Oil 1 bbls., Gas MMCF, Water 5 bbls.
Duration of test8 hrs., GravityAPI	SICP psi SITP psi
Formation treatment (shot, acid, fracture, etc.) Indicate amount of mbreakdown pressure.	aterials used (i.e., nitro, sand, water, acid, & other additives) and
500 Gal. 15% Acid	
	feet to
	feet_to
Initial Production After Treatme	nt and Recovery of Load
Flow □ Pump □	Initial Potential Rate for 24 Hr. Period
Casing Tubing Choke size	Oil 20 bbls., Gas 20 MMCF, Water 100 bbls.
Duration of test 8 hrs., Gravity 42 API	SICPpsi SITPpsi
Location fee paid Moursand Date	
Signature Tourite Surfice Pos	ition with lesses

Plugging Report

OCT 2 2 1999;

· L'NITED STATES

DEPARTMENT OF THE INTERIOR

Osage Indian Agency PAWHUSKA, OKLAHOMA 74056

Date 2-16-99

APPLICATION FOR OPERATION OF REPORT ON WELLS

(Commencement money paid to whom)		210)		
		ate)	(Amo	unt)
Well No. 17-1 is located 350 ft. from S		. ,		
(1/4 Section No.)	Township)	(Range)	Osage (County, Oklahom:
Surface	level is	100 E	31718	19202123
USE THIS SIDE TO REQUEST AUTHORITY FO (three copies required)	OR WORK US		REPORT COMPL one copy required)	
Notice of intention to: Drill	Substitute & & & other work. If statement of these authority	Details of plugged to bullhead 30 sufface	work & Results Of BIA 1800 BIA 1800 St 1800 From 350 1	steined mmendation: 53470' W/
Plug to BIA recommendation Conscidented #10409	Size		or plugging informat SING RECORD Amount recovered	If parted Depth How
inderstand that this plan of work must receive as proval in writing of sage Indian Agency before operations may be commenced. Lessee. Amesicum International Energy (enature for Agent Butter Agent Butter Agent	Lesse By:	Janutt 3	AL DEPTH International Signature Form to before me this day 19 19	Energy Con
dephone 918-331-9931	. My con	nmission expires		Nesary Public